ENSM Le Havre

Ocean & Celestial Navigation OCQPI-2

# **PORTEFEUILLE DE COMPÉTENCES**

NOM : PRENOM :

## Ce document est à remplir en auto-évaluation par l'étudiant (au crayon à papier) et à rapporter complété à <u>chaque</u> séance de TD









A. Charbonnel

Version : 1.1 - 10/19

Celestial & Ocean navigation - Operationnal abilities - OCQPI2

**NOM** :

Prénom :

Année	÷	2019/2020

<u>Great Circles – operationnal abilities</u>		/		В			С			D			Е			F		
	A+	А	A-	B+	В	B-	C+	С	C-	D+	D	D-	E+	Е	E-	F+	F	F-
1. Calculate a difference of longitude																		
2. Calculate the great circle distance between two points																		
3. Calculate the vertex of a great circle																		
4. Calculate the gain between rhumb and great circle route																		
5. Plot the pace of a great circle track with the departure, arrival and vertex point on a mercator chart/graphic and on the terrestrial globe																		
6. Plot a series of rhumb lines on a Mercator chart/canvas to approximate a great circle route.																		
7. Determine the great circle distance using great circle charts or specific abacus.																		
8. Calculate the limits points of the great circle tracks on a composite sailing																		
9. Calculate the distance on a composite sailing																		
10. Plot a composite sailing on a graphic and mercator chart																		

### Celestial & Ocean navigation - Operationnal abilities - OCQPI2

**NOM** :

#### Prénom :

Année : 2019/2020

<u>l Navigation – Operationnal abilities</u>		Α			В			С			D			Ε			F	
	A+	Α	A-	B+	В	B-	C+	С	C-	D+	D	D-	E+	Е	E-	F+	F	F-
Convert longitude into time.																		
Convert Local time, standard time and zone time to GMT and vice versa.																		
Calculate the zone time given longitude.																		
Use the nautical almanac to find all informations to perform celestial navigation, and especially : Corrections to be used to convert the the sextant altitude to observed altitude GHA,D for the celestial body Time of twilight, rising and setting of the sun and moon Time of meridian passage of the sun or moon Table to find the visibility of the planets Table for calculate the latitude at the polaris																		
Calculate the chronometer (or watch) error given a previous error and the daily rate.																		
Measure the sextant altitude of a celestial body																		
Measure the angular difference between two reference marks																		
Determine and apply the corrections to convert sextant altitudes to true/observed altitude of the sun.																		
Determine and apply the corrections to convert sextant altitudes to true/observed altitude of a star.																		
Determine and apply the corrections to convert sextant altitudes to true/observed altitude of the planet or the moon																		
Calculate the time of meridian passage of the sun and calculate the ship's latitude from the observed meridian altitude of the sun.																		
	Convert Local time, standard time and zone time to GMT and vice versa. Calculate the zone time given longitude. Use the nautical almanac to find all informations to perform celestial navigation, and especially : Corrections to be used to convert the the sextant altitude to observed altitude GHA,D for the celestial body Time of twilight, rising and setting of the sun and moon Table to find the visibility of the planets Table to find the visibility of the planets Table for calculate the latitude at the polaris Calculate the chronometer (or watch) error given a previous error and the daily rate. Measure the sextant altitude of a celestial body Measure the angular difference between two reference marks Determine and apply the corrections to convert sextant altitudes to true/observed altitude of the sun. Determine and apply the corrections to convert sextant altitudes to true/observed altitude of a star. Determine and apply the corrections to convert sextant altitudes to true/observed altitude of the planet or the moon Calculate the time of meridian passage of the sun and calculate	Convert longitude into time.Convert Local time, standard time and zone time to GMT and vice versa.Calculate the zone time given longitude.Use the nautical almanac to find all informations to perform celestial navigation, and especially : • Corrections to be used to convert the the sextant altitude to observed altitude • GHA,D for the celestial body • Time of twilight, rising and setting of the sun and moon • Table for calculate the latitude at the polarisCalculate the chronometer (or watch) error given a previous error and the daily rate.Measure the sextant altitude of a celestial bodyMeasure the angular difference between two reference marksDetermine and apply the corrections to convert sextant altitudes to true/observed altitude of a star.Determine and apply the corrections to convert sextant altitudes to true/observed altitude of the planet or the moonCalculate the time of meridian passage of the sun and calculate	Convert longitude into time.Image: Convert longitude into time.Convert Local time, standard time and zone time to GMT and vice versa.Image: Convert longitude.Calculate the zone time given longitude.Image: Convert longitude.Use the nautical almanac to find all informations to perform celestial navigation, and especially : 	Convert longitude into time.Image: Convert longitude into time.Convert Local time, standard time and zone time to GMT and vice versa.Image: Convert longitude.Calculate the zone time given longitude.Image: Convert longitude.Use the nautical almanac to find all informations to perform celestial navigation, and especially : 	Convert longitude into time.Image: Convert longitude into time.Convert Local time, standard time and zone time to GMT and vice versa.Image: Convert longitude.Calculate the zone time given longitude.Image: Convert longitude.Use the nautical almanac to find all informations to perform celestial navigation, and especially : Orrections to be used to convert the the sextant altitude to observed altitude Orrections to be used to convert the the sextant altitude to observed altitude Orrections to be used to convert the the sextant altitude to observed altitude Orrections to be used to convert the the sextant altitude to observed altitude Time of twilight, rising and setting of the sun and moon Time for dreidian passage of the sun or moon Table to find the visibility of the planets Table for calculate the latitude at the polarisImage: Image: Imag	Convert longitude into time.Image: Convert longitude into time.Convert Local time, standard time and zone time to GMT and vice versa.Image: Convert local time, standard time and zone time to GMT and vice versa.Calculate the zone time given longitude.Image: Convert local almanac to find all informations to perform celestial navigation, and especially : 	Convert longitude into time.Image: Convert Local time, standard time and zone time to GMT and vice versa.Convert Local time, standard time and zone time to GMT and vice versa.Image: Convert Local time, standard time and zone time to GMT and vice versa.Calculate the zone time given longitude.Image: Convert Local time, standard time and zone time to observed altitudeCalculate the zone time given longitude.Image: Convert time of several altitude to observed altitudeCorrections to be used to convert the the sextant altitude to observed altitudeGHA,D for the celestial bodyTime of twilight, rising and setting of the sun and moonTime of twilight, rising and setting of the sun and moonTable to find the visibility of the planetsTable to calculate the latitude at the polarisCalculate the chronometer (or watch) error given a previous error and the daily rate.Measure the angular difference between two reference marksDetermine and apply the corrections to convert sextant altitudes to true/observed altitude of the sun.Determine and apply the corrections to convert sextant altitudes to true/observed altitude of a star.Determine and apply the corrections to convert sextant altitudes to true/observed altitude of the planet or the moonCalculate the time of meridian passage of the sun and calculate	Convert longitude into time.Image: Convert longitude into time.Convert Local time, standard time and zone time to GMT and vice versa.Image: Convert longitude.Calculate the zone time given longitude.Image: Convert longitude.Use the nautical almanac to find all informations to perform celestial navigation, and especially : Corrections to be used to convert the the sextant altitude to observed altitude GHA,D for the celestial bodyImage: Corrections to be used to convert the the sextant altitude to observed altitude of the prince divilight, rising and setting of the sun or moon Time of meridian passage of the sun or moon Table for calculate the latitude at the polarisImage: Corrections to convert sextant altitudes to rune/observed altitude of a celestial bodyImage: Convert in the sextant altitude of a celestial bodyMeasure the angular difference between two reference marksImage: Convert in the sun.Image: Convert in the sun.Determine and apply the corrections to convert sextant altitudes to true/observed altitude of a star.Image: Convert sextant altitudes to true/observed altitude of the planet or the moonImage: Convert sextant altitudes to true/observed altitude of the planet or the moonCalculate the time of meridian passage of the sun and calculateImage: Convert sextant altitudes to true/observed altitude of the planet or the moonImage: Convert in the sextant altitude in the planet or the moonCalculate the time of meridian passage of the sun and calculateImage: Convert sextant altitudes 	Convert longitude into time.Image: Convert longitude into time.Convert Local time, standard time and zone time to GMT and vice versa.Image: Convert longitude.Calculate the zone time given longitude.Image: Convert longitude.Use the nautical almanac to find all informations to perform celestial navigation, and especially : Corrections to be used to convert the the sextant altitude to observed altitude OFHA.D for the celestial bodyImage: Convert longitude.Calculate the chronometer (or watch) error given a previous error and the daily rate.Image: Convert longitude longitude.Measure the sextant altitude of a celestial bodyImage: Convert longitude of the sun.Determine and apply the corrections to convert sextant altitudes to true/observed altitude of a star.Image: Convert longitude longitud	Convert longitude into time.Image: Convert Local time, standard time and zone time to GMT and vice versa.Convert Local time, standard time and zone time to GMT and vice versa.Image: Convert Local time, standard time and zone time to GMT and vice versa.Calculate the zone time given longitude.Image: Convert Local time, standard time and zone time to operform celestial navigation, and especially : 	Convert longitude into time.Image: Convert local time, standard time and zone time to GMT and vice versa.Image: Convert local time, standard time and zone time to GMT and vice versa.Calculate the zone time given longitude.Image: Convert local time, standard time and zone time to GMT and vice versa.Image: Convert local time, standard time and zone time to GMT and vice versa.Image: Convert local time, standard time and zone time to GMT and vice versa.Calculate the zone time given longitude.Image: Convertions to be used to convert the the sextant altitude to observed altitudeImage: Convertions to be used to convert the the sextant altitude to observed altitudeImage: Convert local time of wilight, rising and setting of the sun and moonImage: Convert local the to find the visibility of the planetsImage: Convert local the tatitude at the polarisImage: Convert local the to the visibility of the planetsCalculate the chronometer (or watch) error given a previous error and the daily rate.Image: Convert local time and apply the corrections to convert sextant altitudes to true/observed altitude of the sun.Image: Convert local time and apply the corrections to convert sextant altitudes to true/observed altitude of a star.Image: Convert local time and apply the corrections to convert sextant altitudes to true/observed altitude of the planet or the moonImage: Convert local time and apply the corrections to convert sextant altitudes to true/observed altitude of the planet or the moonDetermine and apply the corrections to convert sextant altitudes to true/observed altitude of the planet or the moonImage: Convert sextant altitudes to true/observed altitude of the planet or the moonCalculate the time of meridian passage of the sun and calculateImage: Convert sextant	Convert longitude into time.Image: Convert longitude into time.Convert Local time, standard time and zone time to GMT and vice versa.Image: Convert longitude.Calculate the zone time given longitude.Image: Convert longitude.Use the nautical almanac to find all informations to perform celestial navigation, and especially : Or the celestial bodyImage: Convert longitude.Image: Convert longitude.Calculate the lonting and setting of the sun and moonImage: Convert longitude.Image: Convert longitude.Calculate the lonting and setting of the sun and moonImage: Convert longitude.Image: Convert longitude.Calculate the lonting and setting of the sun and releaseImage: Convert longitude.Image: Convert longitude.Calculate t	Convert longitude into time.Image: Convert local time, standard time and zone time to GMT and vice versa.Convert Local time, standard time and zone time to GMT and vice versa.Image: Convert local time given longitude.Calculate the zone time given longitude.Image: Convert local time given longitude.Use the nautical almanac to find all informations to perform celestial navigation, and especially : Corrections to be used to convert the the sextant altitude to observed altitude Of IA,D for the celestial bodyImage: Convert local time the sextant altitude to observed altitude Convertions to be used to convert the the sextant altitude to observed altitude of IA,D for the celestial bodyImage: Convert local time the sextant altitude to observed altitude of IA,D for the celestial bodyImage: Convert local time the sextant altitude to a poly the polarisCalculate the chronometer (or watch) error given a previous error and the daily rate.Image: Convert local time the sextant altitudes to true/observed altitude of the sun.Image: Convert local time the sextant altitudes to true/observed altitude of the sun.Determine and apply the corrections to convert sextant altitudes to true/observed altitude of a star.Image: Convert local time the local time sextant altitudes to true/observed altitude of the planet or the moonCalculate the time of meridian passage of the sun and calculateImage: Convert sextant altitudes to true/observed altitude of the planet or the moon	Convert longitude into time. Image: Convert Local time, standard time and zone time to GMT and vice versa. Image: Convert Local time, standard time and zone time to GMT and vice versa.   Calculate the zone time given longitude. Image: Convert Local almanac to find all informations to perform celestial navigation, and especially : Image: Corrections to be used to convert the the sextant altitude to observed altitude of GHA.D for the celestial body Image: Corrections to be used to convert the the sextant altitude to observed altitude of the visibility of the planets Image: Corrections to be used to convert the the sextant altitude to observed altitude of the visibility of the planets Image: Corrections to be used to convert the the sextant altitudes to the visibility of the planets Image: Corrections to be used to convert the the sextant altitude to observe altitude to the visibility of the planets Image: Corrections to convert the the sextant altitude to a column the visibility of the planets Image: Corrections to convert the the polaris   Calculate the chronometer (or watch) error given a previous error and the daily rate. Image: Corrections to convert sextant altitudes Image: Correcti	Convert longitude into time.Image: Convert Local time, standard time and zone time to GMT and vice versa.Image: Convert Local time, standard time and zone time to GMT and vice versa.Convert Local time, standard time and zone time to GMT and vice versa.Image: Convert Local time, standard time and zone time to GMT and vice versa.Image: Convert Local time, standard time and zone time to GMT and vice versa.Calculate the zone time given longitude.Image: Convert Local time, standard time and zone time to severe distribute to observed altitudeImage: Convert Local time, standard time and zone time to GMA.Use the nautical almanac to find all informations to perform celestial navigation, and especially : Corrections to be used to convert the the sextant altitude to observed altitude GHA. Dr the celestial bodyImage: Convert Local time to GMT.Image: Convections to be used to convert the the sextant altitude to observed altitude Time of metilion passage of the sum and moon Time of metilion passage of the sum onto moon Time of metilion passage of the sum onto moon Table for calculate the latitude at the polarisImage: Convection to convert sextant altitudes Table for calculate the latitude of a celestial bodyImage: Convection to convert sextant altitudes To the celestial bodyImage: Convection to convert sextant altitudes To the colestial bodyImage: Convection to convert sextant altitudes To the celestial bodyImage: Convection to convert sextant altitudes To the celesti	Convert longitude into time.Image: Convert local time, standard time and zone time to GMT and vice versa.Convert Local time, standard time and zone time to GMT and vice versa.Image: Convert local time, standard time and zone time to GMT and vice versa.Calculate the zone time given longitude.Image: Convert local time, standard time and especially :Image: Convert local time, standard time and especially :Corrections to be used to convert the the sextant altitude to observed altitudeImage: Corrections to be used to convert the the sextant altitude to observed altitudeCorrections to be used to convert the the sextant altitude to observed altitudeImage: Corrections to be used to convert the the sextant altitude to observed altitudeCorrections to be used to convert the the sextant altitude to observed altitudeImage: Corrections to be used to convert the the sextant altitude to observed altitudeTime of twilight, rising and setting of the sun and moonImage: Corrections to be used to convert the planetsTable for calculate the lotitude at the polarisImage: Corrections to convert sextant apply the planetsCalculate the chronometer (or watch) error given a previous error and the daily rate.Image: Corrections to convert sextant altitudes to true/observed altitude of a celestial bodyMeasure the angular difference between two reference marksImage: Corrections to convert sextant altitudes to true/observed altitude of a star.Determine and apply the corrections to convert sextant altitudes to true/observed altitude of a star.Image: Corrections to convert sextant altitudes to true/observed altitude of a star.Determine and apply the corrections to convert sextant altitudes to true/observed altitude of the planet or	Convert longitude into time.Image: Convert local time, standard time and zone time to GMT and vice versa.Image: Convert local time, standard time and zone time to GMT and vice versa.Image: Convert local time, standard time and zone time to GMT and vice versa.Image: Convert local time, standard time and zone time to GMT and vice versa.Image: Convert local time, standard time and zone time to GMT and vice versa.Image: Convert local time, and especially : versa.Image: Convert local time the sectant altitude to observed altitude versa on one one the the sectant altitude to observed altitude or Convertising and secting of the sun and moon Time of median passage of the sun and passage of the sun and moon Time of median passage of the sun and calculateImage: Convert section to convert sectant altitudes Time of median passage of the sun and calculateImage: Convert section to convert sectant altitudes Time of median passage of the sun and calculateImage: Convert section to	Convert longitude into time.Convert longitude into time.Convert Local time, standard time and zone time to GMT and vice versa.Convert Local time, standard time and zone time to GMT and vice versa.Convert Local time, standard time and zone time to GMT and vice versa.Convert Local time, standard time and zone time to GMT and vice versa.Convert Local time, standard time and zone time to GMT and vice versa.Convert Local time, standard time and zone time to GMT and vice versa.Convert Local time, standard time and zone time to GMT and vice versa.Convert Local time, standard time and zone time to GMT and vice versa.Convert Local time, standard time and zone time to GMT and vice versa.Convert Local time, standard time and zone time to GMT and vice versa.Convert Local time, standard time and zone to be set on convert the the sextant altitude to observed altitude of GHAD for the celestial bodyConvert Local time the time and moon time of meidina passage of the sun and moon time of meidina passage of the sun and moon time of time down and the daily rate.Convert Local time the time and anon time of meidina passage of the sun and moon time of meidina passage of the sun and moon to the daily rate.Convert Local time the time and anon time of meidina passage of the sun and moon to time of time down and the daily rate.Convert Local time the time and anophy the corrections to convert sextant altitudes to tume/observed altitude of a celestial bodyConvert Local time the time and apply the corrections to convert sextant altitudes to tume/observed altitude of the sun.Convert Local time the time and apply the corrections to convert sextant altitudes to tume/observed altitude of a tax.Convert Local time the moonConvert Local time the moonC

A : able to do it perfectly at any time / able to analyse and correct its own errors or the other's errors B : able to do it with minor errors and/or with little time / able o analyse and correct its errors withlittle time *C* : *able to do it, but with time or with reccurent errors* 

*D* :able to do it but with major errors/ theory too approximatevely known *E* : unable to do it or to obtain a realistic result but some theorical knowledge are presents *F*: unable to do it due to lacks in the theory

### Celestial & Ocean navigation - Operationnal abilities - OCQPI2

**NOM** :

Prénom :

Année : 2019/2020

<u> Celestial Navigation – operationnal abilities</u>		Α	Α		В			С			D			E			F		
	A+	А	A-	B+	В	B-	C+	С	C-	D+	D	D-	E+	Е	E-	F+	F	F-	
12. Determine the latitude by means of the Pole Star.																			
13. Solve the navigational triangle using calculations (or a navigation table) and show all appropriate work.																			
14. Plot celestial lines of position on a Mercator projection or on a universal plotting sheet.																			
15. Calculate the times (ship's and GMT) of sunrise, sunset and twilight.																			
16. Determine the approximate azimuths and altitudes of the navigational stars and planets at twilight.																			
17. Calculate and plot the lines of position obtained from observations of several celestial bodies at twilight and thus find the boat's position.																			
18. Advance the LOP obtained from a sun sight to another LOP obtained from the sun at a later time and find the boat's position using a running fix (sun-run-sun).																			
19. Calculate the true bearing of a low altitude celestial body in order to determine the error and deviation of the compass.																			
20. Lock the starfinder at the sightseiing time																			
21. Identify a celestial body with the starfinder, knowing the altitude and azitmuth of it																			

A : able to do it perfectly at any time / able to analyse and correct its own errors or the other's errors B : able to do it with minor errors and/or with little time / able o analyse and correct its errors withlittle time C : able to do it, but with time or with reccurent errors

*D* :able to do it but with major errors/ theory too approximatevely known *E* : unable to do it or to obtain a realistic result but some theorical knowledge are presents *F*: unable to do it due to lacks in the theory